

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product: Apple Harvest  
Product Type: Fragrance Compound (Mixture)  
Company: CandleScience  
1247 Person St.  
Durham, NC 27703

Product ID: 194  
SKUs 20905 -  
20909,  
81124, 80251, 90571

Emergency telephone CHEMTREC 1-800-424-9300

**SECTION 2. HAZARDS IDENTIFICATION**

CLASSIFICATION ACCORDING TO HCS 2012 (29 CFR PARTS 1910, 1915, AND 1926):

Flammable Liquids:	Category 4
Skin Corrosion/Irritation:	Category 2
Eye Damage/Irritation:	Category 1
Skin Sensitization:	Category 1

Signal Word:

**DANGER**



Hazard Statement:

Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Combustible liquid.

Precautionary Statements:

**Prevention:**

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

**Response:**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. If on skin: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/container in accordance with local/national laws and regulations.

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENT**

Hazardous components	CAS No.	Weight %
2-tert-Butylcyclohexyl acetate	88-41-5	10 - 20
Eugenol	97-53-0	5 - 10
alpha-Methylcinnamaldehyde	101-39-3	5 - 10
3-Phenyl-1-propanol	122-97-4	3 - 5
gamma-Undecalactone	104-67-6	1 - 3
Coumarin	91-64-5	1 - 3
Allyl hexanoate	123-68-2	1 - 3
Benzyl benzoate	120-51-4	1 - 3
Vanillin	121-33-5	1 - 3
Butylated hydroxytoluene	128-37-0	1 - 3
Cinnamaldehyde	104-55-2	≤ 1
d-Limonene	5989-27-5	≤ 1
β-Caryophyllene	87-44-5	≤ 1
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran	1222-05-5	≤ 1
Isocyclocitral	1335-66-6	≤ 1
Linalool	78-70-6	≤ 1
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	≤ 1
Cyclohexanecarboxylic acid, 2,2,6-trimethyl-, ethyl ester, (1R,6S)-rel	22471-55-2	≤ 1
Ethyl acetate	141-78-6	≤ 1
Citral	5392-40-5	≤ 1

**SECTION 4. FIRST AID MEASURES****Inhalation:**

Move to fresh air. Call a physician if necessary.

**Skin contact:**

Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician.

**Eye contact:**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

**Ingestion:**

Rinse mouth. Give up to one tumbler (half-pint) of milk or water. Consult a physician.

Most important symptoms:

N/A

Indication of immediate medical attention:

Treat symptomatically.

General information:

When in doubt or if symptoms are observed, get medical advice.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Foam, carbon dioxide, or dry chemical.

Unsuitable extinguishing media:

Avoid use of water in extinguishing fires.

Specific hazards:

During fire, gases hazardous to health may be formed. Do not allow run-off from fire fighting to enter drains or water courses.

Special fire fighting procedures:

Wear self-contained breathing apparatus for firefighting. Move containers from fire area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up.

Environmental precautions:

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Dispose of in accordance with local regulations. Local authorities should be advised if significant spillage cannot be contained.

Methods and materials for containment and cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, vermiculite). Keep in suitable and closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid prolonged inhalation of vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practices.

Conditions for safe storage, including any incompatibilities:

Store in tightly closed and upright container in a cool, dry, ventilated area. Store away from light, heat, and sources of ignition.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines:

US WEEL: Vanillin (CAS 121-33-5) TWA 10 mg/m<sup>3</sup>

ACGIH: Butylated hydroxytoluene (CAS 128-37-0) TWA 2 mg/m<sup>3</sup>

NIOSH REL: Butylated hydroxytoluene (CAS 128-37-0) TWA 10 mg/m<sup>3</sup>

NIOSH: Pocket Guide to Chemical Hazards: Butylated hydroxytoluene (CAS 128-37-0) TWA 10 mg/m<sup>3</sup>

OSHA PEL: Butylated hydroxytoluene (CAS 128-37-0) TWA 10 mg/m<sup>3</sup>

ACGIH: Ethyl acetate (CAS 141-78-6) TWA 400ppm (1400 mg/m<sup>3</sup>)

NIOSH IDLH: Ethyl acetate (CAS 141-78-6) 2000 ppm

NIOSH REL: Ethyl acetate (CAS 141-78-6) TWA 400ppm (1400 mg/m<sup>3</sup>)

NIOSH REL: Ethyl acetate (CAS 141-78-6) TWA 2000 ppm

NIOSH: Pocket Guide to Chemical Hazards: Ethyl acetate (CAS 141-78-6) TWA 400ppm (1400 mg/m<sup>3</sup>)

OSHA PEL: Ethyl acetate (CAS 141-78-6) PEL 400ppm (1400 mg/m<sup>3</sup>)

OSHA PEL: Ethyl acetate (CAS 141-78-6) TWA 400ppm (1400 mg/m<sup>3</sup>)

ACGIH: Citral (CAS 5392-40-5) TWA 5 ppm

ACGIH: d-Limonene (CAS 5989-27-5) TWA 5 ppm

## Appropriate Engineering Controls:

**Ventilation:**

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

## Personal Protective Equipment:

**Eye protection:**

Ensure that eyewash stations and safety showers are close to the workstation location.  
Chemical resistant goggles must be worn.

**Hand protection:**

Wear chemical resistant gloves suitable for this material as determined by a hazard assessment. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Skin and body protection:**

Wear protective clothing suitable for this material as determined by a hazard assessment.

**Respiratory protection:**

Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, where indicated or required by the exposure assessment. Selection of air-purifying or positive-pressure supplied air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the actual or potential airborne concentrations. The type of cartridge or filter to be used must be selected and approved for the chemical, class, or classes of chemicals likely to be encountered in the workplace. For emergency conditions, use an approved positive-pressure self-contained

breathing apparatus.

**General hygiene considerations:**

Handle in accordance with good industrial hygiene and safety practice. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands before breaks and immediately after handling the product.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Liquid
Color:	Yellow
Odor:	Characteristic
Odor threshold:	N/A
pH:	N/A
Melting point:	N/A
Boiling point:	N/A
Flashpoint:	87.2 °C      189 °F
Evaporation Rate (Butyl Acetate = 1):	N/A
Flammability (solid, gas):	N/A
Upper lower flammability or explosive limits:	N/A
Vapor density (Air=1):	N/A
Vapor pressure:	0.321 mm Hg@20°C estimated
Specific gravity (H <sub>2</sub> O=1):	0.9500-0.9700
Solubility in water:	N/A
Solubility in other solvents:	N/A
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	N/A
Decomposition temperature:	N/A
Kinematic viscosity:	N/A
Dynamic viscosity:	N/A
Explosive properties:	N/A
Oxidizing properties:	N/A
Refractive index:	1.4750-1.4850

**SECTION 10. STABILITY AND REACTIVITY****Chemical stability:**

The product is stable and non-reactive under normal conditions of use, storage and transport.

**Possibility of hazardous reactions:**

Material is stable under normal conditions.

**Conditions to avoid:**

Heat, flames and sparks. Temperature extremes and direct sunlight.

**Incompatible materials:**

Strong oxidizing agents. Strong acids. Strong Bases.

**Hazardous decomposition products:**

No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute oral toxicity:**

N/A

**Acute dermal toxicity:**

3915 mg/kg

**Acute inhalation toxicity:**

35.8

**Skin corrosion/irritation:**

N/A

**Serious eye damage/eye irritation:**

N/A

**Respiratory or skin sensitization:**

N/A

**Mutagenicity:**

N/A

**Reproductive toxicity:**

N/A

**Carcinogenicity:**

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity:**

Toxic to aquatic life with long lasting effects.

**Persistence and Degradability:**

N/A

**Bioaccumulation:**

N/A

**Other Adverse Effects:**

N/A

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal instructions:**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations:**

Dispose in accordance with all applicable regulations.

**Hazardous waste code:**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues/unused products:**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging:**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION**

<b>IATA UN Number:</b>	3082
<b>IATA UN Proper Shipping Name:</b>	Environmentally hazardous substance, liquid, n.o.s. (2-tert-Butylcyclohexyl acetate AND Allyl hexanoate)
<b>IATA Transport Hazard Class:</b>	9
<b>IATA Packing group:</b>	III
<b>IATA Environmental Hazards:</b>	N/A
<b>IATA ERG Codes:</b>	N/A
<b>IATA Special Precautions:</b>	N/A
<b>IATA Other Information:</b>	N/A
<b>IMDG UN Number:</b>	3082
<b>IMDG UN Proper Shipping Name:</b>	Environmentally hazardous substance, liquid, n.o.s. (2-tert-Butylcyclohexyl acetate AND Allyl hexanoate)
<b>IMDG Transport Hazard Class:</b>	9
<b>IMDG Packing Group:</b>	III
<b>IMDG Environmental Hazards:</b>	Yes

# SAFETY DATA SHEET



**IMDG EMS:** F-A, S-F

**IMDG Special Precautions:** N/A

**IMDG Transport in Bulk:** N/A

## SECTION 15. REGULATORY INFORMATION

### **TSCA:**

All components of this product are listed or excluded from listing on the TSCA inventory.

## SECTION 16. OTHER INFORMATION

The information and recommendations contained in this data sheet represent, to the best of CandleScience's knowledge and belief, an accurate and reliable representation as the known data for this material. Since the conditions for use, handling, storage and disposal of this product are beyond CandleScience's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.